

Стандарты IC Ecomu 1000 мг/л

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: cmf@nt-rt.ru || сайт: <https://chem-lab.nt-rt.ru/>

Bromide standard solution 1000 µg/ml Br- (Ion ECON)
1.489 g KBr / l H₂O
Solution contains 1000 µg/ml of Br- (±7 µg - 20°C)
Traceability: Reference standards acc. NIST SRM 3184

CL01.0246

CAS Nr:7758-02-3

Physical

- **Form:** liquid
- **Colour:** colourless
- **Melting point:** 0°C
- **Boiling point:** 100°C
- **Flash point:** -
- **Density:** 1,00 g/ml
- **Mol Weight:** 119.01 g/mol
- **Storage temp:** 2°C to 15°C

Art. Nr.	Pack	Mod	Stock
CL01.0246.0100	100 ml	PE	0
CL01.0246.0500	500 ml	PE/H	14

CL01.0396

Carbonate standard solution 1000 µg/ml for IC (Ion ECON)
1.766 g Na₂CO₃ / l H₂O
Casnr.: 497-19-8

Art. Nr.	Pack	Mod	Stock
CL01.0396.0500	500 ml	PE/H	0

CL01.0346

Chloride standard solution 1000 µg/ml for IC (Ion ECON)
2.1 g KCl / l H₂O
Casnr.: 7447-40-7
[ISO IEC 17025](#)

Art. Nr.	Pack	Mod	Stock
CL01.0346.0500	500 ml	PE/H	118

Art. Nr.	Pack	Mod	Stock	
CL01.0346.2500	2.5 l	PE/H	0	Custom

CL01.0355

Chromate standard solution 1000 µg/ml for IC (Ion ECON)

1.471 g K₂Cr₂O₇ / l H₂O

Casnr.: 7778-50-9

Art. Nr.	Pack	Mod	Stock
CL01.0355.0500	500 ml	PE/H	8

CL01.0378

Cyanide standard solution 1000 µg/ml for IC (Ion ECON)

2.1092 g K₃(Fe(CN)₆) / l H₂O

Casnr.: 13746-66-2

Art. Nr.	Pack	Mod	Stock
CL01.0378.0500	500 ml	PE/H	6

CL01.0376

Cyanide standard solution 1000 µg/ml for IC (Ion ECON)

2.503 g KCN / l H₂O

Casnr.: 151-50-8

Art. Nr.	Pack	Mod	Stock
CL01.0376.0500	500 ml	PE/H	23

CL01.0616

Fluoride standard solution 1000 µg/ml for IC (Ion ECON)

2.21 g NaF / l H₂O

Casnr.: 7681-49-4

[ISO IEC 17025](#)

Art. Nr.	Pack	Mod	Stock
CL01.0616.0500	500 ml	PE/H	93

CL01.0836

Hydrazine standard solution 1000 µg/ml for IC (Ion ECON)

4.1 g N2H4.H2SO4 / l H2O

Art. Nr.	Pack	Mod	Stock
----------	------	-----	-------

CL01.0836.0500	500 ml	PE/H	1
----------------	--------	------	---

CL01.2316

Hydrogen carbonate standard solution 1000 µg/ml for IC (Ion ECON)

1.377 g NaHCO3 / l H2O

Casnr.: 144-55-8

Art. Nr.	Pack	Mod	Stock
----------	------	-----	-------

CL01.2316.0500	500 ml	PE/H	7
----------------	--------	------	---

CL01.1006

Iodide standard solution 1000 µg/ml for IC (Ion ECON)

1.308 g KI / l H2O

Casnr.: 7681-11-0

Art. Nr.	Pack	Mod	Stock
----------	------	-----	-------

CL01.1006.0500	500 ml	PE/H	8
----------------	--------	------	---

CL01.1446

Nitrate standard solution 1000 µg/ml for IC (Ion ECON)

1.63 g KNO3 / l H2O

Casnr.: 7757-79-1

[ISO IEC 17025](#)

Art. Nr.	Pack	Mod	Stock
----------	------	-----	-------

CL01.1446.0500	500 ml	PE/H	17
----------------	--------	------	----

CL01.1446.0500	500 ml	PE/H	0	Custom
----------------	--------	------	---	--------

CL01.1456

Nitrite standard solution 1000 µg/ml for IC (Ion ECON)

1.50 g NaNO2 / l H2O

Casnr.: 7632-00-0

[ISO IEC 17025](#)

Art. Nr.	Pack	Mod	Stock	
CL01.1456.0500	500 ml	PE/H	16	
CL01.1456.0500	500 ml	PE/H	0	Custom

CL01.1996

Nitrogen standard solution 1000 µg/ml as KNO₃ for IC (Ion ECON)

7.218 g KNO₃ / l H₂O

Casnr.: 7757-79-1

Art. Nr.	Pack	Mod	Stock
CL01.1996.0500	500 ml	PE/H	63

CL01.1986

Nitrogen standard solution 1000 µg/ml as NaNO₂ for IC (Ion ECON)

4.9262 g NaNO₂ / l H₂O

Casnr.: 7632-00-0

Art. Nr.	Pack	Mod	Stock
CL01.1986.0500	500 ml	PE/H	43

CL01.1956

Nitrogen standard solution 1000 µg/ml for IC as NH₄Cl (Ion ECON)

3.81 g NH₄Cl / l H₂O

Casnr.: 12125-02-9

Art. Nr.	Pack	Mod	Stock	
CL01.1956.0500	500 ml	PE/H	51	
CL01.1956.0500	500 ml	PE/H	0	Custom

CL01.0617

Phosphate standard solution 1000 µg/ml for IC (Ion ECON)

1.4329 g KH₂PO₄ / l H₂O

Casnr.: 13011-54-6

ISO IEC 17025

Art. Nr.	Pack	Mod	Stock
----------	------	-----	-------

CL01.0617.0500	500 ml	PE/H	0
----------------	--------	------	---

CL01.0627

Phosphate standard solution 1000 µg/ml for IC (Ion ECON)

2.2 g NaNH₄HPO₄·4H₂O / l H₂O

Casnr.: 13011-54-6

ISO IEC 17025

Art. Nr.	Pack	Mod	Stock
----------	------	-----	-------

CL01.0627.0500	500 ml	PE/H	36
----------------	--------	------	----

CL01.0627.0500	500 ml	PE/H	0	Custom
----------------	--------	------	---	--------

CL01.0625

Phosphate standard solution 1000 µg/ml for IC (Ion ECON)

1.032 g H₃PO₄ / l H₂O

Casnr.: 7664-38-2

Art. Nr.	Pack	Mod	Stock
----------	------	-----	-------

CL01.0625.0500	500 ml	PE/H	0
----------------	--------	------	---

CL01.1946

Silicate standard solution 1000 µg/ml for IC (Ion ECON)

1 g SiO₂ / l 0.4% NaOH

Art. Nr.	Pack	Mod	Stock
----------	------	-----	-------

CL01.1946.0500	500 ml	PE/H	7
----------------	--------	------	---

CL01.1976

Sulfate standard solution 1000 µg/ml for IC (Ion ECON)

1.479 g Na₂SO₄ / l H₂O

Casnr.: 7757-82-6

ISO IEC 17025

Art. Nr.	Pack	Mod	Stoc k	
CL01.1976.0500	500 ml	PE/H	61	
CL01.1976.0500	500 ml	PE/H	0	Custom

Art. Nr.	Pack	Mod	Stock	
CL01.0116.0500	500 ml	PE/H	99	
CL01.0205 Barium standard solution 1000 µg/ml (Spectro ECON) 1.779 g BaCl ₂ ·2H ₂ O / l H ₂ O Casnr.: 10326-27-9 ISO IEC 17025				

Art. Nr.	Pack	Mod	Stock	
CL01.0205.0500	500 ml	PE/H	6	
CL01.0315 Calcium standard solution 1000 µg/ml for IC (Spectro ECON) 3.668 g CaCl ₂ ·2H ₂ O / l H ₂ O Casnr.: 10035-04-8 ISO IEC 17025				

Art. Nr.	Pack	Mod	Stock	
CL01.0315.0500	500 ml	PE/H	50	
CL01.0335 Cesium standard solution 1000 µg/ml for IC (Spectro ECON) 1.267 g CsCl / l H ₂ O Casnr.: 7647-17-8 ISO IEC 17025				

Art. Nr.	Pack	Mod	Stock	
CL01.0335.0500	500 ml	PE/H	7	

CL01.1215

Lithium standard solution 1000 µg/ml for IC (Spectro ECON)

6.108 g LiCl / I H₂O

Casnr.: 7447-41-8

[ISO IEC 17025](#)

Art. Nr.	Pack	Mod	Stock
----------	------	-----	-------

CL01.1215.0500	500 ml	PE/H	28
----------------	--------	------	----

CL01.1305

Magnesium standard solution 1000 µg/ml for IC (Spectro ECON)

8.363 g MgCl₂·6H₂O / I H₂O

Casnr.: 7791-18-6

[ISO IEC 17025](#)

Art. Nr.	Pack	Mod	Stock
----------	------	-----	-------

CL01.1305.0500	500 ml	PE/H	34
----------------	--------	------	----

CL01.1105

Potassium standard solution 1000 µg/ml for IC (Spectro ECON)

1.907 g KCl / I H₂O

Casnr.: 7447-40-7

[ISO IEC 17025](#)

Art. Nr.	Pack	Mod	Stock
----------	------	-----	-------

CL01.1105.0500	500 ml	PE/H	57
----------------	--------	------	----

CL01.1825

Rubidium standard solution 1000 µg/ml for IC (Spectro ECON)

1.415 g RbCl / I H₂O

Casnr.: 7791-11-9

[ISO IEC 17025](#)

Art. Nr.	Pack	Mod	Stock
----------	------	-----	-------

CL01.1825.0500	500 ml	PE/H	0
----------------	--------	------	---

CL01.1405

Sodium standard solution 1000 µg/ml for IC (Spectro ECON)

2.542 g NaCl / I H₂O

Casnr.: 7647-14-5

[ISO IEC 17025](#)

Art. Nr.	Pack	Mod	Stock
CL01.1405.0500	500 ml	PE/H	12

CL01.1965

Strontium standard solution 1000 µg/ml for IC (Spectro ECON)

2.416 g Sr(NO₃)₂ / l H₂O

Casnr.: 10042-76-9

[ISO IEC 17025](#)

Art. Nr.	Pack	Mod	Stock
CL01.1965.0500	500 ml	PE/H	16

Art. Nr.	Pack	Mod	Stock
CL01.0116.0500	500 ml	PE/H	99

CL01.0205

Barium standard solution 1000 µg/ml (Spectro ECON)

1.779 g BaCl₂·2H₂O / l H₂O

Casnr.: 10326-27-9

[ISO IEC 17025](#)

Art. Nr.	Pack	Mod	Stock
CL01.0205.0500	500 ml	PE/H	6

CL01.0315

Calcium standard solution 1000 µg/ml for IC (Spectro ECON)

3.668 g CaCl₂·2H₂O / l H₂O

Casnr.: 10035-04-8

[ISO IEC 17025](#)

Art. Nr.	Pack	Mod	Stock
CL01.0315.0500	500 ml	PE/H	50

CL01.0335

Cesium standard solution 1000 µg/ml for IC (Spectro ECON)

1.267 g CsCl / l H₂O

Casnr.: 7647-17-8

[ISO IEC 17025](#)

Art. Nr.	Pack	Mod	Stock
CL01.0335.0500	500 ml	PE/H	7

CL01.1215

Lithium standard solution 1000 µg/ml for IC (Spectro ECON)

6.108 g LiCl / I H₂O

Casnr.: 7447-41-8

[ISO IEC 17025](#)

Art. Nr.	Pack	Mod	Stock
CL01.1215.0500	500 ml	PE/H	28

CL01.1305

Magnesium standard solution 1000 µg/ml for IC (Spectro ECON)

8.363 g MgCl₂·6H₂O / I H₂O

Casnr.: 7791-18-6

[ISO IEC 17025](#)

Art. Nr.	Pack	Mod	Stock
CL01.1305.0500	500 ml	PE/H	34

CL01.1105

Potassium standard solution 1000 µg/ml for IC (Spectro ECON)

1.907 g KCl / I H₂O

Casnr.: 7447-40-7

[ISO IEC 17025](#)

Art. Nr.	Pack	Mod	Stock
CL01.1105.0500	500 ml	PE/H	57

CL01.1825

Rubidium standard solution 1000 µg/ml for IC (Spectro ECON)

1.415 g RbCl / I H₂O

Casnr.: 7791-11-9

[ISO IEC 17025](#)

Art. Nr.	Pack	Mod	Stock
CL01.1825.0500	500 ml	PE/H	0

CL01.1405

Sodium standard solution 1000 µg/ml for IC (Spectro ECON)2.542 g NaCl / l H₂O

Casnr.: 7647-14-5

[ISO IEC 17025](#)

Art. Nr.	Pack	Mod	Stock
----------	------	-----	-------

CL01.1405.0500	500 ml	PE/H	12
----------------	--------	------	----

CL01.1965

Strontium standard solution 1000 µg/ml for IC (Spectro ECON)2.416 g Sr(NO₃)₂ / l H₂O

Casnr.: 10042-76-9

[ISO IEC 17025](#)

Art. Nr.	Pack	Mod	Stock
----------	------	-----	-------

CL01.1965.0500	500 ml	PE/H	16
----------------	--------	------	----

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: cmf@nt-rt.ru || сайт: <https://chem-lab.nt-rt.ru/>