

Стандарты физических испытаний нефти

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: cmf@nt-rt.ru || сайт: <https://chem-lab.nt-rt.ru/>

Cloud point reference standard**Nominal Cloud Point: +5°C****Standard acc. ASTM D-2500, D-5771, D-5772 and D-5773**

CL11.0320

Physical

- **Form:** liquid
- **Colour:** colourless
- **Melting point:** -
- **Boiling point:** 350-450°C
- **Flash point:** 65°C

- **Density:** 0,85 g/ml
- **Storage temp:** RT

Art. Nr.	Pack	Mod	Stock
CL11.0320.0250	250 ml	GVB	0

CL11.0321

Cloud point reference standard**Nominal Cloud Point: -2°C****Casnr.: 8042-47-5**

Art. Nr.	Pack	Mod	Stock	
CL11.0321.0250	250 ml	GVB	0	Custom

Flash point reference material**Nominal Flash Point: 54°C****Standard acc. ASTM D-93 Pensky-Martens Closed-Cup Tester**

CL11.0617

Physical

- **Form:** liquid
- **Colour:** colourless
- **Melting point:** -
- **Boiling point:** 350-450°C
- **Flash point:** 65°C

- **Density:** 0,85 g/ml
- **Storage temp:** RT

Art. Nr.	Pack	Mod	Stoc k	
CL11.0617.0240	240 ml	GVB	0	Custom

CL11.0613
Flash point reference material
 Nominal Flash: 42°C

Art. Nr.	Pack	Mod	Stoc k	
CL11.0613.0250	250 ml	GVB	0	Custom

CL11.0620
Flash point reference material
 Nominal Flash Point: 134°C

Art. Nr.	Pack	Mod	Stoc k	
CL11.0620.0240	240 ml	GVB	0	Custom

CL11.0622
Flash point reference material
 Nominal Flash & Fire Point: 140°C

Art. Nr.	Pack	Mod	Stoc k	
CL11.0622.0250	250 ml	GVB	0	Custom

Freezing point reference standard

Nominal Freezing Point: -45°C
Standard acc. ASTM D-1015, D-2386, D-5972

CL11.0626

Physical

- **Form:** liquid
- **Colour:** colourless
- **Melting point:** -
- **Boiling point:** 350-450°C
- **Flash point:** 65°C

- **Density:** 0,85 g/ml
- **Storage temp:** RT

Art. Nr.	Pack	Mod	Stock
CL11.0626.0250	250 ml	GVB	0

Art. Nr.	Pack	Mod	Stock
CL11.1620.0250	250 ml	GVB	0

CL11.1621
Pour point reference standard
Nominal Pour Point: -10°C

Art. Nr.	Pack	Mod	Stock
CL11.1621.0250	250 ml	GVB	0

CL11.1622
Pour point reference standard
Nominal Pour Point: -15°C

Art. Nr.	Pack	Mod	Stock
----------	------	-----	-------

Art. Nr.	Pack	Mod	Stock
CL11.1622.0250	250 ml	GVB	0

CL11.1623
Pour point reference standard
 Nominal Pour Point: -20°C

Art. Nr.	Pack	Mod	Stock
CL11.1623.0250	250 ml	GVB	0

CL11.1624
Pour point reference standard
 Nominal Pour Point: -40°C

Art. Nr.	Pack	Mod	Stock
CL11.1624.0250	250 ml	GVB	0

CL11.1625
Pour point reference standard
 Nominal Pour Point: -50°C

Art. Nr.	Pack	Mod	Stock
CL11.1625.0250	250 ml	GVB	0

Art. Nr.	Pack	Mod	Stock	
CL11.2016.0050	50 g	GVB	1	Custom

CL11.2007
TAN reference standard
3,0 mg KOH / g

Art. Nr.	Pack	Mod	Stock
CL11.2007.0050	50 g	GVB	0

CL11.2006
TAN reference standard
2,5 mg KOH / g

Art. Nr.	Pack	Mod	Stock
CL11.2006.0050	50 g	GVB	1

CL11.2005
TAN reference standard
2,0 mg KOH / g

Art. Nr.	Pack	Mod	Stock
CL11.2005.0050	50 g	GVB	1

CL11.2004
TAN reference standard
1,5 mg KOH / g

Art. Nr.	Pack	Mod	Stock
CL11.2004.0125	125 g	GVB	0

CL11.2003

TAN reference standard

1,0 mg KOH / g

Art. Nr.	Pack	Mod	Stock
----------	------	-----	-------

CL11.2003.0125	125 g	GVB	0
----------------	-------	-----	---

CL11.2002**TAN reference standard**

0,5 mg KOH / g

Art. Nr.	Pack	Mod	Stock
----------	------	-----	-------

CL11.2002.0100	100 g	GVB	1
----------------	-------	-----	---

CL11.2001**TAN reference standard**

0,1 mg KOH / g

Art. Nr.	Pack	Mod	Stock
----------	------	-----	-------

CL11.2001.0125	125 g	GVB	0
----------------	-------	-----	---

Art. Nr.	Pack	Mod	Stock
----------	------	-----	-------

CL11.2017.0050	50 g	GVB	0	Custom
----------------	------	-----	---	--------

CL11.2013**TBN reference standard**

70,0 mg KOH / g

Art. Nr.	Pack	Mod	Stock
CL11.2013.0050	50 g	GVB	0

CL11.2012
TBN reference standard
 40,0 mg KOH / g

Art. Nr.	Pack	Mod	Stock
CL11.2012.0050	50 g	GVB	0

CL11.2011
TBN reference standard
 30,0 mg KOH / g

Art. Nr.	Pack	Mod	Stock
CL11.2011.0050	50 g	GVB	0

CL11.2010
TBN reference standard
 15,0 mg KOH / g

Art. Nr.	Pack	Mod	Stock
CL11.2010.0050	50 g	GVB	0

CL11.2009
TBN reference standard
 10,0 mg KOH / g

Art. Nr.	Pack	Mod	Stock
CL11.2009.0100	100 g	GVB	2

CL11.2008
TBN reference standard
 6,0 mg KOH / g

Art. Nr.	Pack	Mod	Stock
CL11.2008.0050	50 g	GVB	0

Art. Nr.	Pack	Mod	Stock
CL11.2245.0500	500 ml	GVB	0

CL11.2232
Viscosity reference standard
 18000 cSt 40°C

Art. Nr.	Pack	Mod	Stock
CL11.2232.0500	500 ml	GVB	0

CL11.2231
Viscosity reference standard
 13000 cSt 40°C

Art. Nr.	Pack	Mod	Stock
CL11.2231.0500	500 ml	GVB	0

CL11.2228
Viscosity reference standard
10000 cSt 40°C

Art. Nr.	Pack	Mod	Stock
CL11.2228.0500	500 ml	GVB	0

CL11.2247
Viscosity reference standard
6700 cSt 40°C

Art. Nr.	Pack	Mod	Stock
CL11.2247.0500	500 ml	GVB	0

CL11.2241
Viscosity reference standard
5100 cSt 40°C

Art. Nr.	Pack	Mod	Stock
CL11.2241.0500	500 ml	GVB	0

CL11.2238
Viscosity reference standard
3400 cSt 40°C

Art. Nr.	Pack	Mod	Stock
CL11.2238.0500	500 ml	GVB	0

CL11.2235

Viscosity reference standard
2500 cSt 40°C

Art. Nr.	Pack	Mod	Stock
CL11.2235.0500	500 ml	GVB	0

CL11.2223
Viscosity reference standard (Type S2000)
1600 cSt 40°C

Art. Nr.	Pack	Mod	Stock
CL11.2223.0500	500 ml	GVB	0

CL11.2230
Viscosity reference standard
1400 cSt 40°C

Art. Nr.	Pack	Mod	Stock
CL11.2230.0500	500 ml	GVB	0

CL11.2218
Viscosity reference standard
920 cSt 40°C

Art. Nr.	Pack	Mod	Stock
CL11.2218.0500	500 ml	GVB	0

CL11.2244
Viscosity reference standard

750 cSt 40°C

Art. Nr.	Pack	Mod	Stock
CL11.2244.0500	500 ml	GVB	0

CL11.2222
Viscosity reference standard (Type S600)
521 cSt 40°C

Art. Nr.	Pack	Mod	Stock
CL11.2222.0500	500 ml	GVB	0

CL11.2217
Viscosity reference standard
520 cSt 40°C

Art. Nr.	Pack	Mod	Stock
CL11.2217.0500	500 ml	GVB	0

CL11.2239
Viscosity reference standard
410 cSt 40°C

Art. Nr.	Pack	Mod	Stock
CL11.2239.0500	500 ml	GVB	0

CL11.2216
Viscosity reference standard
300 cSt 40°C

Art. Nr.	Pack	Mod	Stock
CL11.2216.0500	500 ml	GVB	0

CL11.2219
Viscosity reference standard (Type S3)
 2.93 cSt 40°C

Art. Nr.	Pack	Mod	Stock
CL11.2219.0500	500 ml	GVB	0

CL11.2234
Viscosity reference standard
 250 cSt 40°C


Art. Nr.	Pack	Mod	Stock
CL11.2234.0500	500 ml	GVB	0

CL11.2221
Viscosity reference standard (Type S200)
 181 cSt 40°C

Art. Nr.	Pack	Mod	Stock
CL11.2221.0500	500 ml	GVB	0

CL11.2215
Viscosity reference standard - N140
 140 cSt 40°C

Art. Nr.	Pack	Mod	Stock
CL11.2215.0500	500 ml	GVB	0



Art. Nr.	Pack	Mod	Stock
CL11.2214.0500	500 ml	GVB	0

CL11.2213
Viscosity reference standard
 102 cSt 40°C

Art. Nr.	Pack	Mod	Stock
CL11.2213.0500	500 ml	GVB	0

CL11.2227
Viscosity reference standard
 0.97 cSt 40°C

Art. Nr.	Pack	Mod	Stock
CL11.2227.0500	500 ml	GVB	0

CL11.2210
Viscosity reference standard
 9.5 cSt 40°C

Art. Nr.	Pack	Mod	Stock
----------	------	-----	-------

Art. Nr.	Pack	Mod	Stock
CL11.2210.0500	500 ml	GVB	0

CL11.2242
Viscosity reference standard
 7.5 cSt 40°C

Art. Nr.	Pack	Mod	Stock
CL11.2242.0500	500 ml	GVB	0

CL11.2243
Viscosity reference standard
 75 cSt 40°C

Art. Nr.	Pack	Mod	Stock
CL11.2243.0500	500 ml	GVB	0

CL11.2246
Viscosity reference standard
 5.7 cSt 40°C

Art. Nr.	Pack	Mod	Stock
CL11.2246.0500	500 ml	GVB	0

CL11.2212
Viscosity reference standard
 54 cSt 40°C

Art. Nr.	Pack	Mod	Stock
CL11.2212.0500	500 ml	GVB	0

CL11.2224
Viscosity reference standard (Type S60)
 54 cSt 40°C

Art. Nr.	Pack	Mod	Stock
CL11.2224.0500	500 ml	GVB	0

CL11.2240
Viscosity reference standard
 44 cSt 40°C

Art. Nr.	Pack	Mod	Stock
CL11.2240.0500	500 ml	GVB	0

CL11.2237
Viscosity reference standard
 4.0 cSt 40°C

Art. Nr.	Pack	Mod	Stock
CL11.2237.0500	500 ml	GVB	0

CL11.2211
Viscosity reference standard
 30 cSt 40°C

Art. Nr.	Pack	Mod	Stock
CL11.2211.0500	500 ml	GVB	0

CL11.2236
Viscosity reference standard
 25 cSt 40°C

Art. Nr.	Pack	Mod	Stock
CL11.2236.0500	500 ml	GVB	0

CL11.2233
Viscosity reference standard
 2.0 cSt 40°C

Art. Nr.	Pack	Mod	Stock
CL11.2233.0500	500 ml	GVB	0

CL11.2220
Viscosity reference standard (Type S20)
 18 cSt 40°C

Art. Nr.	Pack	Mod	Stock
CL11.2220.0500	500 ml	GVB	0

CL11.2229
Viscosity reference standard
 14 cSt 40°C

Art. Nr.	Pack	Mod	Stock
CL11.2229.0500	500 ml	GVB	0

CL11.2226
Viscosity reference standard
 0.6 cSt 40°C

Art. Nr.	Pack	Mod	Stock
CL11.2226.0500	500 ml	GVB	0

CL11.2225
Viscosity reference standard
 0.4 cSt 40°C

Art. Nr.	Pack	Mod	Stock
CL11.2225.0500	500 ml	GVB	0

Synthetic distillation standard
Boiling range 193°C to 371°C
Standard acc. ASTM D-86 distillation group 4

CL11.1908

Physical

- **Form:** liquid
- **Colour:** colourless
- **Melting point:** -
- **Boiling point:** 350-450°C
- **Flash point:** 65°C
- **Density:** 0,85 g/ml
- **Storage temp:** RT

Art. Nr.	Pack	Mod	Stock
----------	------	-----	-------

Art. Nr.	Pack	Mod	Stoc k	
CL11.1908.0500	500 ml	GVB	0	Custom

CL11.1907
Synthetic distillation standard
 Boiling range 54°C to 187°C

Art. Nr.	Pack	Mod	Stock
CL11.1907.0250	250 ml	GVB	0

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: cmf@nt-rt.ru || сайт: <https://chem-lab.nt-rt.ru/>