

Стандарты азота

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: cmf@nt-rt.ru || сайт: <https://chem-lab.nt-rt.ru/>

Nitrogen kit in iso-Octane
Solution contains 200 µg/ml N in iso-Octane
Standard acc. ASTM D-5762

CL48.1402-8

Physical

- **Form:** liquid
- **Colour:** colourless
- **Melting point:** -107°C
- **Boiling point:** 99°C
- **Flash point:** -12°C

- **Density:** 0,69 g/ml
- **Storage temp:** 2°C to 15°C

Art. Nr.	Pack	Mod	Stock
----------	------	-----	-------

CL48.1402-8.0002	2 ml	AMP	0
------------------	------	-----	---

CL48.1402-2

Nitrogen kit in iso-Octane
Solution contains 1 µg/ml N in iso-Octane

Art. Nr.	Pack	Mod	Stock	
CL48.1402-2.0002	2 ml	AMP	0	Custom

CL48.1402-4

Nitrogen kit in iso-Octane
Solution contains 10 µg/ml N in iso-Octane

Art. Nr.	Pack	Mod	Stock	
CL48.1402-4.0002	2 ml	AMP	0	Custom

CL48.1402-6

Nitrogen kit in iso-Octane

Solution contains 50 µg/ml N in iso-Octane

Art. Nr.	Pack	Mod	Stoc k	
CL48.1402- 6.0002	2 ml	AMP	0	Custom

CL48.1402-3

Nitrogen kit in iso-Octane

Solution contains 2 µg/ml N in iso-Octane

Art. Nr.	Pack	Mod	Stoc k	
CL48.1402- 3.0002	2 ml	AMP	0	Custom

CL48.1402-5

Nitrogen kit in iso-Octane

Solution contains 20 µg/ml N in iso-Octane

Art. Nr.	Pack	Mod	Stoc k	
CL48.1402- 5.0002	2 ml	AMP	0	Custom

CL48.1402-9

Nitrogen kit in iso-Octane

Solution contains 500 µg/ml N in iso-Octane

Art. Nr.	Pack	Mod	Stoc k	
CL48.1402- 9.0002	2 ml	AMP	0	Custom

CL48.1402-7

Nitrogen kit in iso-Octane

Solution contains 100 µg/ml N in iso-Octane

Art. Nr.	Pack	Mod	Stock	
CL48.1402-7.0002	2 ml	AMP	0	Custom

CL48.1402-10

Nitrogen kit in iso-Octane

Solution contains 1000 µg/ml N in iso-Octane

Art. Nr.	Pack	Mod	Stock	
CL48.1402-10.0002	2 ml	AMP	0	Custom

CL48.1402

Nitrogen kit in iso-Octane

Kit contains 1, 2, 10, 20, 50, 100, 200, 500, 1000 µg/ml N in iso-Octane

Art. Nr.	Pack	Mod	Stock
CL48.1402.0001	1 pck	cart.box	0

Nitrogen kit in iso-Octane

Solution contains 25 µg/ml N in iso-Octane

Standard acc. ASTM D-4629

CL48.1403-3

Physical

- **Form:** liquid
- **Colour:** colourless
- **Melting point:** -107°C
- **Boiling point:** 99°C
- **Flash point:** -12°C
- **Density:** 0,69 g/ml
- **Storage temp:** 2°C to 15°C

Art. Nr.	Pack	Mod	Stock
CL48.1403-3.0002	2 ml	AMP	0

CL48.1403-2
Nitrogen kit in iso-Octane
 Solution contains 10 µg/ml N in iso-Octane

Art. Nr.	Pack	Mod	Stock	
CL48.1403-2.0002	2 ml	AMP	0	Custom

CL48.1403-6
Nitrogen kit in iso-Octane
 Solution contains 100 µg/ml N in iso-Octane

Art. Nr.	Pack	Mod	Stock	
CL48.1403-6.0002	2 ml	AMP	0	Custom

CL48.1403-5
Nitrogen kit in iso-Octane
 Solution contains 75 µg/ml N in iso-Octane

Art. Nr.	Pack	Mod	Stock	
CL48.1403-5.0002	2 ml	AMP	0	Custom

CL48.1403-4
Nitrogen kit in iso-Octane
 Solution contains 50 µg/ml N in iso-Octane

Art. Nr.	Pack	Mod	Stoc k	
CL48.1403- 4.0002	2 ml	AMP	0	Custom

CL48.1404-7
Nitrogen kit in p-Xylene
 Solution contains 10,0 µg/ml N in p-Xylene

Art. Nr.	Pack	Mod	Stoc k	
CL48.1404- 7.0002	2 ml	AMP	6	Custom

CL48.1404-2
Nitrogen kit in p-Xylene
 Solution contains 0,1 µg/ml N in p-Xylene

Art. Nr.	Pack	Mod	Stoc k	
CL48.1404- 2.0002	2 ml	AMP	6	Custom

CL48.1404-4
Nitrogen kit in p-Xylene
 Solution contains 1,0 µg/ml N in p-Xylene

Art. Nr.	Pack	Mod	Stoc k	
CL48.1404- 4.0002	2 ml	AMP	6	Custom

CL48.1404-5
Nitrogen kit in p-Xylene
 Solution contains 2,5 µg/ml N in p-Xylene

Art. Nr.	Pack	Mod	Stoc k	
CL48.1404- 5.0002	2 ml	AMP	4	Custom

CL48.1404-3

Nitrogen kit in p-Xylene

Solution contains 0,5 µg/ml N in p-Xylene

Art. Nr.	Pack	Mod	Stoc k	
CL48.1404- 3.0002	2 ml	AMP	5	Custom

CL48.1404-6

Nitrogen kit in p-Xylene

Solution contains 5,0 µg/ml N in p-Xylene

Art. Nr.	Pack	Mod	Stoc k	
CL48.1404- 6.0002	2 ml	AMP	6	Custom

CL48.1404-1

p-Xylene Blanc

99,8+ % p-Xylene

Art. Nr.	Pack	Mod	Stoc k	
CL48.1404- 1.0002	2 ml	AMP	4	Custom

CL48.1403

Nitrogen kit in iso-Octane

Kit contains 10, 25, 50, 75, 100 µg/ml N in iso-Octane

Art. Nr.	Pack	Mod	Stock
CL48.1403.0001	1 pck	cart.box	0

CL48.1404

Nitrogen kit in p-Xylene

Kit contains 0.1, 0.5, 1.0, 2.5, 5.0, 10 µg/ml N in p-Xylene

Art. Nr.	Pack	Mod	Stock
CL48.1404.0001	1 pck	cart.box	0

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: cmf@nt-rt.ru || сайт: <https://chem-lab.nt-rt.ru/>