

Растворы для определения по Карлу Фишеру

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: cmf@nt-rt.ru || сайт: <https://chem-lab.nt-rt.ru/>

Mixture for Lecitine analysis according Karl Fischer
500 ml KF (CL02.0820) + 250 ml CH₃NO + 250 ml CHCl₃
Volumetric water det. in Lecitine acc. Karl Fischer

CL02.3715

Physical

- **Form:** liquid
- **Colour:** brown
- **Melting point:** -
- **Boiling point:** 60°C
- **Flash point:** >100°C

- **Density:** 1,33 g/ml
- **Storage temp:** RT

Art. Nr.	Pack	Mod	Stoc k	
CL02.3715.1000	1 l	GVB	0	Custom

CL40.2302

Hydralyt® water standard sol.

Solution contains 1 mg H₂O / g

Art. Nr.	Pack	Mod	Stoc k	
CL40.2302.0010	10 ml	AMP	0	Custom

CL40.2304

Hydralyt® water standard sol.

Solution contains 0.1 mg H₂O / g

Art. Nr.	Pack	Mod	Stoc k	
CL40.2304.0010	10 ml	AMP	0	Custom

CL02.0840

Hydralyt® water standard sol. (10 x 10 ml)

0.1 mg H₂O / g

Art. Nr.	Pack	Mod	Stoc k
CL02.0840.0100	100 ml	cart.box	3

CL02.0831

Hydralyt® water standard sol. (10 x 10 ml)

1 mg H₂O / g

Art. Nr.	Pack	Mod	Stoc k
CL02.0831.0100	100 ml	cart.box	4

CL02.0832

Hydralyt® water standard sol. (10 x 10 ml)

10 mg H₂O / g

Art. Nr.	Pack	Mod	Stoc k
CL02.0832.0100	100 ml	cart.box	19

CL02.0818

Hydralyt® Composite 5

1 ml = 5 mg H₂O

Art. Nr.	Pack	Mod	Stoc k
CL02.0818.1000	1 l	GVB	11
CL02.0818.2500	2.5 l	GVB	21

CL02.0819

Hydralyt® Composite 5K

1 ml = 5 mg H₂O - Use with CL02.0820

Art. Nr.	Pack	Mod	Stoc k
CL02.0819.0500	500 ml	GVB	0
CL02.0819.1000	1 l	GVB	25

CL02.0817

Hydralyt® Composite 2

1 ml = 2 mg H₂O

Art. Nr.	Pack	Mod	Stoc k
CL02.0817.1000	1 l	GVB	10
CL02.0817.2500	2.5 l	GVB	0

CL02.0851

Hydralyt® Karl Fischer's Reagent Coulometric Oil

CH₃OH/C₈H₁₀/CHCl₃/C₃H₄N₂/I₂/SO₂

Art. Nr.	Pack	Mod	Stoc k
CL02.0851.0100	100 ml	GVB	3

CL02.1194

Hydralyt® Karl Fischer's Reagent Coulometric AG
I2/SO2/CH3OH/C3H4N2/C4H10NO2

Art. Nr.	Pack	Mod	Stoc k
CL02.1194.0500	500 ml	GVB	1

CL02.0848

Hydralyt® di-Sodium tartrate.2aq
99.5+ % C4H4Na2O6.2H2O - (H2O ~ 15.66%)
Casnr.: 6106-24-7

Art. Nr.	Pack	Mod	Stoc k	
CL02.0848.0100	100 g	PE	13	
CL02.0848.1000	1 kg	PE	0	Custom

CL02.0849

Hydralyt® Karl Fischer's Reagent - Methanol Fast
CH3OH/C3H4N2/SO2

Art. Nr.	Pack	Mod	Stoc k
CL02.0849.1000	1 l	GVB	18

CL02.0825

Hydralyt® Solvent CM

Use with Hydralyt® Titrant Use with CL02.0821 or CL02.0822

Art. Nr.	Pack	Mod	Stoc k
CL02.0825.1000	1 l	GVB	0

CL02.0825.2500	2.5 l	GVB	3
----------------	-------	-----	---

CL02.0826

Hydralyt® Solvent Oil

Use with Hydralyt® Titrant - Use with CL02.0821 or CL02.0822

Art. Nr.	Pack	Mod	Stoc k
CL02.0826.1000	1 l	GVB	0

CL02.0823

Hydralyt® Solvent

Use with Hydralyt® Titrant - Use with CL02.0821 or CL02.0822

Art. Nr.	Pack	Mod	Stoc k
CL02.0823.1000	1 l	GVB	4

Art. Nr.	Pack	Mod	Stoc k
CL02.0823.2500	2.5 l	GVB	39

CL02.0822

Hydralyt® Titrant 5

1 ml = 5 mg H₂O ± 0.02 mg H₂O (20°C) - Use with solvent CL02.0823, CL02.0825 or CL02.0826

Art. Nr.	Pack	Mod	Stoc k
CL02.0822.1000	1 l	GVB	1
CL02.0822.2500	2.5 l	GVB	0

CL02.0821

Hydralyt® Titrant 2

1 ml = 2 mg H₂O ± 0.02 mg H₂O (20°C) - Use with solvent CL02.0823, CL02.0825 or CL02.0826

Art. Nr.	Pack	Mod	Stoc k
CL02.0821.1000	1 l	GVB	5

CL02.0820

Hydralyt® Working Medium for 5K

Use with Hydralyt® Composite 5K - Use with CL02.0819

Art. Nr.	Pack	Mod	Stoc k
CL02.0820.0500	500 ml	GVB	0
CL02.0820.1000	1 l	GVB	6

CL11.2304

Water standard solution

1,0% Water in 10W30 motor oil

Art. Nr.	Pack	Mod	Stoc k
CL11.2304.0100	100 ml	GVB	0

first_page
chevron_left

Art. Nr.	Pack	Mod	Stoc k
CL11.2303.0100	100 ml	GVB	0

CL11.2302

Water standard solution

0,1% Water in 10W30 motor oil

keyboard_arrow_down

CL11.2301

Water standard solution

Solvent blank (10W30 motor oil)

Art. Nr.	Pack	Mod	Stock
CL11.2301.0100	100 ml	GVB	0

Water standard solution

0,5% Water in 10W30 motor oil

Standard for Karl Fisher Titration, ASTM D-6304

Traceability: Reference standards acc. NIST SRM 2890

CL11.2303

Physical

- **Form:** liquid
- **Colour:** colourless
- **Melting point:** -
- **Boiling point:** 350-450°C
- **Flash point:** 65°C
- **Density:** 0,85 g/ml
- **Storage temp:** RT

Art. Nr.	Pack	Mod	Stock
CL11.2303.0100	100 ml	GVB	0

CL11.2302

Water standard solution

0,1% Water in 10W30 motor oil

Art. Nr.	Pack	Mod	Stock
CL11.2302.0100	100 ml	GVB	0

CL11.2301

Water standard solution

Solvent blank (10W30 motor oil)

Art. Nr.	Pack	Mod	Stock
CL11.2301.0100	100 ml	GVB	0

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: cmf@nt-rt.ru || сайт: <https://chem-lab.nt-rt.ru/>